Index

(R) indicates Review

Active Tectonics of Northwestern Anatolia – The MARMARA Poly-Project. A Multidisciplinary Approach by Space-Geodesy, Geology, Hydrogeology, Geothermics and Seismology (R), 832

Adrain, J. M., Davidek, K., Landing, E., Bowring, S. A., Westrop, S. R., Rushton, A. W. A. & Fortey, R. A. New uppermost Cambrian U–Pb date from Avalonian Wales and age of the Cambrian–Ordovician boundary, 303

Advances in Analytical Geochemistry, Volume 2 (R), 154

Advances in X-Ray Analysis, Volume 39 (R), 833

Aegean (R), 836

Aeromagnetism, 245

Africa, 203

Air Pollution Control for Coal-Fired Power Stations in Eastern Europe (R), 296

Aitchison, J. C., Flood, P. G. & Malpas, J. Lowermost Ordovician (basal Tremadoc) radiolarians from the Little Port Complex, western Newfoundland, 413

Akanyang, P., Mapeo, R. B. M., Modie, B. N., Wendorff, M. & Kampunzu, A. B. Geochemistry and tectonic significance of the Mesoproterozoic Kgwebe metavolcanic rocks in northwest Botswana: implications for the evolution of the Kibaran Namaqua–Natal Belt, 669

Alford (R), 824

Alps, 349; (R) 587

Alsop, G. I., Bryson, R. & Hutton, D. H. W. Ductile transpression and localization of deformation along tectonic boundaries in the Caledonides of northwestern Ireland, 699

Analysis, X-ray (R), 833, 834

Anatolia (R), 832

Anglo-Brabant Massif, 217

Anoxic event (R), 724

Antarctica, 519; (R) 155

Ar, 495; dating, 63, 161, 193

The Arctic and Environmental Change (R), 584

Argon, 63, 161, 193, 495

Arthropod (R), 828

Arthropods of the Lower Cambrian Chengjiang Fauna, Southwest China (R), 828

Asia, Southeast (R), 729

Ateş, A., Güleç, N. & Kadioğlu, Y. K. Structural interpretation of gabbroic rocks in Ağaçören Granitoid, central Turkey: field observations and aeromagnetic data, 245

Atlantic, North, 161

Atlantic, South (R), 293

Avalon arc, 171

Avalonia, 129, 303

Ballantrae ophiolite, 509

Baltica, 129

Barnicoat, A. C., Freeman, S. R., Butler, R. W. H., Cliff, R. A. & Inger, S. Deformation migration in an orogen-scale shear zone array: an example from the Basal Briançonnais Thrust, internal Franco-Italian Alps, 349

Bartley, J. K., Pope, M., Knoll, A. H., Semikhatov, M. A. & Petrov, P. Yu. A Vendian–Cambrian boundary succession from the northwestern margin of the Siberian Platform: stratigraphy, palaeontology, chemostratigraphy and correlation, 473

Barton, C. M., Evans, D. J., Bristow, C. R., Freshney, E. C. & Kirby, G. A. Reactivation of relay ramps and structural evolution of the Mere Fault and Wardour Monocline, northern Wessex Basin, 383

Basal Briançonnais Thrust, 349

Basement Tectonics 8. Characterization and Comparison of Ancient and Mesozoic Continental Margins (R), 842

Basic Palaeontology (R), 827

Bed thickness, 637

Belgium, 217

Bentonite, 1, 15

Bergström, S. M., Huff, W. D. & Kolata, D. R. The Lower Silurian Osmundsberg K-bentonite. Part I: stratigraphic position, distribution, and palaeogeographic significance, 1

Bergström, S. M., Kolata, D. R., Sun, H. & Huff, W. D. The Lower Silurian Osmundsberg K-bentonite. Part II: mineralogy, geochemistry, chemostratigraphy and tectonomagmatic significance, 15

Betic Cordillera, 565, 685

Biogeochemical Cycles. A Computer-Interactive Study of Earth System Science and Global Change (R), 820

Biogeochemistry. An Analysis of Global Change, 2nd ed. (R), 820

Biostratigraphy, 71, 769; (R) 732, 831

Bird (R), 289

Botswana, 669

Bowring, S. A., Westrop, S. R., Rushton, A. W. A., Fortey, R. A., Adrain, J. M., Davidek, K. & Landing, E. New uppermost Cambrian U–Pb date from Avalonian Wales and age of the Cambrian–Ordovician boundary, 303

Brachiopod (R), 732

Briançonnais Thrust, 349

Briggs, D. E. G., McCobb, L. M. E., Duncan, I. J., Jarzembowski, E. A., Stankiewicz, B. A. & Wills, M. A. Taphonomy of the insects from the Insect Bed (Bembridge Marls), late Eocene, Isle of Wight, England, 553

Bristow, C. R., Freshney, E. C., Kirby, G. A., Barton, C. M. & Evans, D. J. Reactivation of relay ramps and structural evolution of the Mere Fault and Wardour Monocline, northern Wessex Basin, 383

Bröcker, M. & Franz, L. Rb–Sr isotope studies on Tinos Island (Cyclades, Greece): additional time constraints for metamorphism, extent of infiltration-controlled overprinting and deformational activity, 369

Brodkom, F., Laduron, D. & Sintubin, M. Cleavage–fold relationships in the Lower Cambrian Tubize Group, southeast Anglo-Brabant Fold Belt (Lembeek, Belgium), 217

Bryan, S. E., Martí, J. & Cas, R. A. F. Stratigraphy of the Bandas del Sur Formation: an extracaldera record of Quaternary phonolitic explosive eruptions from the Las Cañadas edifice, Tenerife (Canary Islands), 605

Bryson, R., Hutton, D. H. W. & Alsop, G. I. Ductile transpression and localization of deformation along tectonic boundaries in the Caledonides of northwestern Ireland, 699

Buffetaut, E., Lepage, J.-J. & Lepage, G. A new pterodactyloid pterosaur from the Kimmeridgian of the Cap de la Hève (Normandy, France), 719

Bulgaria, 101

Butler, R. W. H., Cliff, R. A., Inger, S., Barnicoat, A. C. & Freeman, S. R. Deformation migration in an orogen-scale shear zone array: an example from the Basal Briançonnais Thrust, internal Franco-Italian Alps, 349

C, 183, 473, 537
Caldera, 605
Caledonide Orogeny, 699, 755
Caledonides, 63
Cambrian, 217, 227, 303, 473, 501, 537, 575; (R) 145, 289, 828
Cambrian–Ordovician boundary, 303
Canada, 171, 413; (R) 732, 831
Canary Islands, 591, 605
Canas, J. A., Pérez Torado, F. J., Carracedo, J. C., Day, S., Guillou, H. & Rodríguez Badiola, E. Hotspot volcanism close to a passive continental margin: the Canary Islands, 591
Cantrill, D. J., Hathway, B., Macdonald, D. I. M. & Riding, J. B. Table Nunatak: a key outcrop of Upper Cretaceous shallow-marine strata in the southern Larsen Basin, Antarctic Peninsula, 519
Carbon isotope, 183, 473, 537
Carboniferous (R), 731
Carracedo, J. C., Day, S., Guillou, H., Rodríguez Badiola, E., Canas, J. A. & Pérez Torado, F. J. Hotspot volcanism close to a passive continental margin: the Canary Islands, 591
Cartlidge, J. E., Price, G. D., Sellwood, B. W., Corfield, R. M. & Clarke, L. Isotopic evidence for palaeotemperatures and depth stratification of Middle Cretaceous planktonic foraminifera from the Pacific Ocean, 183
Cas, R. A. F., Bryan, S. E. & Martí, J. Stratigraphy of the Bandas del Sur Formation: an extracaldera record of Quaternary phonolitic explosive eruptions from the Las Cañadas edifice, Tenerife (Canary Islands), 605
Casas, A. M., Cortés, A. L., Maestro, A. & Soriano, M. A. Lineaments and fracturing in the Neogene rocks of the Almazán Basin, northern Spain, 255
Catastrophism. Asteroids, Comets, and Other Dynamic Events in Earth History (R), 839
Cave (R), 823
Cenomanian (R), 724
Chalk (R), 728
Charcoal (R), 293
Charnockite, 27
Chemistry, analytical (R), 726
Chengjiang fauna (R), 828
Chert, 413, 735
China (R), 828
Chitinzoa, 769
Chlorine and other Halogens in Coal (R), 296
Clarke, L., Cartlidge, J. E., Price, G. D., Sellwood, B. W. & Corfield, R. M. Isotopic evidence for palaeotemperatures and depth stratification of Middle Cretaceous planktonic foraminifera from the Pacific Ocean, 183
Clay mineral (R), 834
Cleavage, 217
Cliff, R. A., Inger, S., Barnicoat, A. C., Freeman, S. R. & Butler, R. W. H. Deformation migration in an orogen-scale shear zone array: an example from the Basal Briançonnais Thrust, internal Franco-Italian Alps, 349
Climate change (R), 146, 584, 819, 820, 835
Climate Change. Developing Southern Hemisphere Perspectives (R), 146
Coal (R), 148, 288, 290, 296, 821, 825, 828, 829
Coal Prospects in Latin America to 2010 (R), 148
Coal Prospects in Russia (R), 148
Coal Sulphur Content – Impact on Coal Markets (R), 296
Coal: Resources, Properties, Utilization, Pollution (R), 290
Cofiring of Coal and Waste (R), 288
A Colour Guide to Paleosols (R), 294
Combustion (R), 293
Conodont, 769
Continental boundary (R), 155
Continental margin, 591; (R) 842
Continuous Emissions Monitoring for Coal-Fired Power Stations (R), 821
Conway Morris, S., McIlroy, D. & Rushton, A. W. A. Lower Cambrian halkieriids from Oxfordshire, UK, 501
Cope, J. C. W. & McIlroy, D. On the occurrence of foraminiferans in the lower Cambrian of the Llangynog Inlier, South Wales, 227
Copper (R), 150
Coprocessing Waste with Coal (R), 828
Corfield, R. M., Clarke, L., Cartlidge, J. E., Price, G. D. & Sellwood, B. W. Isotopic evidence for palaeotemperatures and depth stratification of Middle Cretaceous planktonic foraminifera from the Pacific Ocean, 183
Correlation Chart and Biostratigraphy of the Silurian Rocks of Canada (R), 831
Cortés, A. L., Maestro, A., Soriano, M. A. & Casas, A. M. Lineaments and fracturing in the Neogene rocks of the Almazán Basin, northern Spain, 255
Cosheston Group, 397
Crater, impact, 121
Cretaceous, 183, 519, 685; (R) 293, 586
Cretaceous–Tertiary Mass Extinctions: Biotic and Environmental Changes (R), 586
Crystallography (R), 157
Cuny, G., Martin, M., Rauscher, R. & Mazin, J.-M. A new neoselachian shark from the Upper Triassic of Grozon (Jura, France), 657
Cuvier, Georges (R), 730
Cyclades, 369
Czerny, J., Lux, D., Manecki, M. & Holm, D. K. Thermochronological evidence for late Proterozoic (Vendian) cooling in southwest Wedel Jarlsberg Land, Spitsbergen, 63

Dallmeyer, R. D. & Liotta, D. Extension, uplift of rocks and cooling ages in thinned crustal provinces: the Larderello geothermal area (inner Northern Apennines, Italy), 193
Dalradian, 575, 699
Dana's New Mineralogy, 8th ed. (R), 723
Davidek, K., Landing, E., Bowring, S. A., Westrop, S. R., Rushton, A. W. A., Fortey, R. A. & Adrain, J. M. New uppermost Cambrian U–Pb date from Avalonian Wales and age of the Cambrian–Ordovician boundary, 303
Davis, G. H. Fault-fin landscape, 283
Day, S., Guillou, H., Rodríguez Badiola, E., Canas, J. A., Pérez Torado, F. J. & Carracedo, J. C. Hotspot volcanism close to a passive continental margin: the Canary Islands, 591
Deep Structure of the Swiss Alps. Results of NRP 20 (R), 587
Deep-Sea Benthic Foraminifera from Cretaceous–Paleogene Boundary Strata in the South Atlantic – Taxonomy and Paleoecology (R), 293

Deformation, 217, 255, 269, 311, 349, 369, 637, 699; (R) 825
Deformation-Enhanced Fluid Transport in the Earth's Crust and Mantle (R), 825
Devonian, 397
Diamond (R), 730
Diffraction, X-ray (R), 834
Dinoflagellate, 803
Dinosaur (R), 144, 158, 287
Dinosaur Extinction and the End of an Era. What the Fossils Say (R), 144
Disaster (R), 838
Discovering Dinosaurs in the Old West. The Field Journals of Arthur Lakes (R), 287
Discovering Geology: The Lake District (R), 583
Dolerite, 509
Dostal, J. & Keppie, J. D. Birth of the Avalon arc in Nova Scotia, Canada: geochemical evidence for ~700–630 Ma back-arc rift volcanism off Gondwana, 171
Duncan, I. J., Jarzembowski, E. A., Stankiewicz, B. A., Wills, M. A., Briggs, D. E. G. & McCobb, L. M. E. Taphonomy of the insects from the Insect Bed (Bembridge Marls), late Eocene, Isle of Wight, England, 553
Duncan, R. A., Sinton, C. W. & Hitchen, K. ^{40}Ar–^{39}Ar geochronology of silicic and basic volcanic rocks on the margins of the North Atlantic, 161
Dyke, 495, 509

Early Vertebrates (R), 295
Earth Surface Processes (R), 841
Earthquake, 269
East European Platform, 537
Economic geology (R), 288, 290, 296
Edwards, D., Kenrick, P., Wellman, C. H. & Thomas, R. G. The Cosheston Group (Lower Old Red Sandstone) in southwest Wales: age, correlation and palaeobotanical significance, 397
Eggshell (R), 838
Elephant (R), 821
Emissions Standards Handbook (R), 821
Emplacement mechanism, 231; (R) 288
England, 383, 501, 553, 803; (R) 726, 823
Environmental change (R), 151, 293, 582, 584, 586, 731, 732, 820, 835
Environmental Change. The Evolving Ecosphere (R), 582
Environmental Geology. An Earth System Science Approach (R), 840
Environmental hazard (R), 296
Eocene, 553; (R) 822
Erosion, 283
Erzgebirge, 785
Estonia, 769
Evans, D. J., Bristow, C. R., Freshney, E. C., Kirby, G. A. & Barton, C. M. Reactivation of relay ramps and structural evolution of the Mere Fault and Wardour Monocline, northern Wessex Basin, 383
Evaporite (R), 836
L'Événement Océanique Anoxique du Cénomanien Supérieur-Terminal (R), 724
Event, palaeontological (R), 582, 586
Evolution (R), 821; crustal (R), 588; tectonic, 565, 669, 699; (R) 729; vertebrate (R), 289, 585
Explosive volcanism, 605
Extension, 495; tectonic, 193, 331
Extinction, mass (R), 582, 586, 725

Facies analysis, 47
Falkland Islands, 495
Fault reactivation, 383
Faupl, P., Pavlopoulos, A. & Migiros, G. On the provenance of flysch deposits in the External Hellenides of mainland Greece: results from heavy mineral studies, 421
Felitsyn, S. B., Vidal, G. & Moczydłowska, M. Trace elements and Sr and C isotopic signatures in late Neoproterozoic and earliest Cambrian sedimentary organic matter from siliciclastic successions in the East European Platform, 537
Fernández, J., Soria, J. M. & Viseras, C. Late Miocene–Pleistocene tectono-sedimentary evolution and subsidence history of the central Betic Cordillera (Spain): a case study in the Guadix intramontane basin, 565
Fernandez-Alonso, M. & Theunissen, K. Airborne geophysics and geochemistry provide new insights in the intracontinental evolution of the Mesoproterozoic Kibaran belt (Central Africa), 203
Fettes, D. J., Soper, N. J. & Harris, A. L. Age of the Grampian event: a Discussion of "New evidence that the Lower Cambrian Leny Limestone at Callander, Perthshire, belongs to the Dalradian Supergroup, and a reassessment of the 'exotic' status of the Highland Border Complex": Comment, 575
Field guide (R), 148, 298, 583, 724, 823, 824, 836, 838
Fife and Angus Geology, 3rd ed. (R), 148
Fire and Mud. Eruptions and Lahars of Mount Pinatubo, Philippines (R), 298
Flood, P. G., Malpas, J. & Aitchison, J. C. Lowermost Ordovician (basal Tremadoc) radiolarians from the Little Port Complex, western Newfoundland, 413
Fluid flow (R), 825, 839
Fluid flux, 27
Fluid inclusion, 27
Flysch, 421
Foraminifera, 183, 227; (R) 293
Fortey, R. A., Adrain, J. M., Davidek, K., Landing, E., Bowring, S. A., Westrop, S. R. & Rushton, A. W. A. New uppermost Cambrian U–Pb date from Avalonian Wales and age of the Cambrian–Ordovician boundary, 303
Fossil and Recent Eggshell in Amniotic Vertebrates: Fine Structure, Comparative Morphology and Classification (R), 838
Fossils of the Upper Ordovician (R), 826
Fossils. The Story of Life (R), 147
France, 349, 657, 719; (R) 836
Franz, L. & Bröcker, M. Rb–Sr isotope studies on Tinos Island (Cyclades, Greece): additional time constraints for metamorphism, extent of infiltration-controlled overprinting and deformational activity, 369
Freeman, S. R., Butler, R. W. H., Cliff, R. A., Inger, S. & Barnicoat, A. C. Deformation migration in an orogen-scale shear zone array: an example from the Basal Briançonnais Thrust, internal Franco-Italian Alps, 349
Freshney, E. C., Kirby, G. A., Barton, C. M., Evans, D. J. & Bristow, C. R. Reactivation of relay ramps and structural evolution of the Mere Fault and Wardour Monocline, northern Wessex Basin, 383
Fundamentals of Geological and Environmental Remote Sensing (R), 829
Fundamentals of Geophysics (R), 723
Fundamentals of the Physical Environment, 2nd ed. (R), 295

Gabbro, 245
Garhwal Himalaya, 269
Gas (R), 821, 825, 828
Gee, D. G., Gjelsvik, T., Tebenkov, A. M. & Hellman, F. J. Provenance and tectonic implications of Palaeoproterozoic (*c.* 1740 Ma) quartz porphyry clasts in the basal Old Red Sandstone (Lilljeborgfjellet Conglomerate Formation) of northwestern Svalbard's Caledonides, 755
Geoarchaeology (R), 157
Geochemistry of Hydrothermal Ore Deposits, 3rd ed. (R), 830
Geochemistry, 15, 47, 171, 331, 349, 495, 669, 785; (R) 153, 154, 725, 726, 830; airborne, 203; bio- (R), 820; isotope, 331; sedimentary, 537, 735
Geochemistry, Mineralogy and Genesis of Gold Deposits (R), 153
Geochronology, 63, 161, 303, 349, 369
Geoindicators. Assessing Rapid Environmental Changes in Earth Systems (R), 151
A Geological Companion to Greece and the Aegean (R), 836
Geology and Tectonics of Pakistan (R), 831
Geology of Hungary (R), 828
Geology of Pakistan (R), 831
Geology of Siliciclastic Shelf Seas (R), 295
The Geology of Stratigraphic Sequences (R), 291
Geology of the Country around Inverurie and Alford (R), 824
Geology of the Country around Llanilar and Rhayader (R), 724
Geology of the Country around Snowdon (R), 838
Geology of the Country around Worcester (R), 823
Geology, general (R), 155, 834, 840
Geomagnetism (R), 287, 833
Geomorphology, 283; (R) 156, 295, 297, 729, 822, 823, 841
Geophysics (R), 723, 832, 833; airborne, 203, 245
Georges Cuvier, Fossil Bones and Geological Catastrophes. New Translations & Interpretations of the Primary Texts (R), 730
Geostatistics (R), 728, 841
Geostatistics for Natural Resources Evaluation (R), 841
Geothermal area, 193
Germany, 129, 785
GIS (R), 153
Gjelsvik, T., Tebenkov, A. M., Hellman, F. J. & Gee, D. G. Provenance and tectonic implications of Palaeoproterozoic (*c.* 1740 Ma) quartz porphyry clasts in the basal Old Red Sandstone (Lilljeborgfjellet Conglomerate Formation) of northwestern Svalbard's Caledonides, 755
Glacial deposits (R), 297, 822
Glacial Geology. Ice Sheets and Landforms (R), 822
Glaciation (R), 731
Global change (R), 293, 820, 835
Global Positioning System. Theory and Practice, 3rd ed. (R), 154
Global Warming. The Complete Briefing, 2nd ed. (R), 835
Gold (R), 150, 153
GPS (R), 154
Grampian Orogeny, 575
Granite (R), 288, 291
Granite: From Segregation of Melt to Emplacement of Fabrics (R), 288
Granitoid, 245
Graptolite, 71, 769
Gravity Currents: In the Environment and the Laboratory, 2nd ed. (R), 839
Greece, 101, 331, 369, 421; (R) 836
Greenhouse Gas Emission Factors for Coal – the Complete Fuel Cycle (R), 821
Greenland (R), 289
Greenstone Belts (R), 581
Groundwater (R), 299
Guillou, H., Rodríguez Badiola, E., Canas, J. A., Pérez Torado, F. J., Carracedo, J. C. & Day, S. Hotspot volcanism close to a passive continental margin: the Canary Islands, 591
Güleç, N., Kadioğlu, Y. K. & Ateş, A. Structural interpretation of gabbroic rocks in Ağaçören Granitoid, central Turkey: field observations and aeromagnetic data, 245
Gutiérrez-Marco, J. C. & Štorch, P. Graptolite biostratigraphy of the Lower Silurian (Llandovery) shelf deposits of the Western Iberian Cordillera, Spain, 71

Haas, W. Application of Moiré Topography to small objects in palaeontology and sedimentology, 93
Halkieriid, 501
Halogen (R), 296
Harris, A. L., Fettes, D. J. & Soper, N. J. Age of the Grampian event: a Discussion of "New evidence that the Lower Cambrian Leny Limestone at Callander, Perthshire, belongs to the Dalradian Supergroup, and a reassessment of the 'exotic' status of the Highland Border Complex": Comment, 575
Hathway, B., Macdonald, D. I. M., Riding, J. B. & Cantrill, D. J. Table Nunatak: a key outcrop of Upper Cretaceous shallow-marine strata in the southern Larsen Basin, Antarctic Peninsula, 519
Hazard (R), 838; volcanic (R), 299
Head, M. J. Pollen and dinoflagellates from the Red Crag at Walton-on-the-Naze, Essex: evidence for a mild climatic phase during the early Late Pliocene of eastern England, 803
Hellman, F. J., Gee, D. G., Gjelsvik, T. & Tebenkov, A. M. Provenance and tectonic implications of Palaeoproterozoic (*c.* 1740 Ma) quartz porphyry clasts in the basal Old Red Sandstone (Lilljeborgfjellet Conglomerate Formation) of northwestern Svalbard's Caledonides, 755
Henjes-Kunst, F., Jacobs, J. & Thomas, R. J. Pre-lamprophyre mafic dykes of the Cape Meredith Complex, West Falkland, 495
Herbivory (R), 300
Highland Border Complex, 575
Himalaya, 269
History of geology (R), 152, 287, 443, 727, 730
History of Geology, Volume 1. From Ancient Times to the First Half of the XVII Century (R), 727
Hitchen, K., Duncan, R. A. & Sinton, C. W. ^{40}Ar–^{39}Ar geochronology of silicic and basic volcanic rocks on the margins of the North Atlantic, 161
Holm, D. K., Czerny, J., Lux, D. & Manecki, M. Thermochronological evidence for late Proterozoic (Vendian) cooling in southwest Wedel Jarlsberg Land, Spitsbergen, 63
Hooke, Robert (R), 443
The Horned Dinosaurs. A Natural History (R), 158
Hotspot, 591
Huff, W. D., Bergström, S. M., Kolata, D. R. & Sun, H.

The Lower Silurian Osmundsberg K-bentonite. Part II: mineralogy, geochemistry, chemostratigraphy and tectonomagmatic significance, 15
Huff, W. D., Kolata, D. R. & Bergström, S. M. The Lower Silurian Osmundsberg K-bentonite. Part I: stratigraphic position, distribution, and palaeogeographic significance, 1
Hungary (R), 828
Hutton, D. H. W., Alsop, G. I. & Bryson, R. Ductile transpression and localization of deformation along tectonic boundaries in the Caledonides of northwestern Ireland, 699
Hydrogeology (R), 299, 728
Hydrothermal deposits (R), 830

Ice sheet (R), 822
Igneous rocks, 231, 245, 495, 509; (R) 150, 151, 152
Impact event (R), 839
India, 27; (R), 155, 157
India and Antarctica During the Precambrian (R), 155
Industrial Mineral Resources Map of Britain (R), 292
Inger, S., Barnicoat, A. C., Freeman, S. R., Butler, R. W. H. & Cliff, R. A. Deformation migration in an orogen-scale shear zone array: an example from the Basal Briançonnais Thrust, internal Franco-Italian Alps, 349
Insect, 553
Integration of Geographic Information Systems and Remote Sensing (R), 153
Interpretation of Three-Dimensional Seismic Data, 4th ed. (R), 832
Intramontane basin, 565
Introducing Groundwater, 2nd ed. (R), 299
Introduction to Geomagnetic Fields (R), 833
Introduction to Geostatistics. Applications in Hydrogeology (R), 728
An Introduction to Global Environmental Issues, 2nd ed. (R), 732
An Introduction to X-Ray Crystallography, 2nd ed. (R), 157
Intrusion, 231, 495, 509
Inverurie (R), 824
Ireland, 699; (R) 292
Irish Sea (R), 830
Isle of Wight (R), 836
Isotope: geochemistry, 331; stratigraphy, 473
Isotopic dating, 63, 161, 303, 349, 369
Italy, 193, 349

Jacobs, J., Thomas, R. J. & Henjes-Kunst, F. Pre-lamprophyre mafic dykes of the Cape Meredith Complex, West Falkland, 495
Japan, 735
Jarzembowski, E. A., Stankiewicz, B. A., Wills, M. A., Briggs, D. E. G., McCobb, L. M. E. & Duncan, I. J. Taphonomy of the insects from the Insect Bed (Bembridge Marls), late Eocene, Isle of Wight, England, 553
Ji, S., Zhu, Z. & Wang, Z. Relationship between joint spacing and bed thickness in sedimentary rocks: effects of interbed slip, 637
Joint spacing, 637
Jurassic, 685, 719

K, 495
Kadioğlu, Y. K., Ateş, A. & Güleç, N. Structural interpretation of gabbroic rocks in Ağaçören Granitoid, central Turkey: field observations and aeromagnetic data, 245
Kaljo, D., Mannik, P. & Loydell, D. K. Integrated biostratigraphy of the lower Silurian of the Ohesaare core, Saaremaa, Estonia, 769
Kampunzu, A. B., Akanyang, P., Mapeo, R. B. M., Modie, B. N. & Wendorff, M. Geochemistry and tectonic significance of the Mesoproterozoic Kgwebe metavolcanic rocks in northwest Botswana: implications for the evolution of the Kibaran Namaqua–Natal Belt, 669
Karst and Caves of Great Britain (R), 823
Kenrick, P., Wellman, C. H., Thomas, R. G. & Edwards, D. The Cosheston Group (Lower Old Red Sandstone) in southwest Wales: age, correlation and palaeobotanical significance, 397
Keppie, J. D. & Dostal, J. Birth of the Avalon arc in Nova Scotia, Canada: geochemical evidence for ~700–630 Ma back-arc rift volcanism off Gondwana, 171
Khudoley, A. K. & Sokolov, S. D. Structural evolution of the northeast Asian continental margin: an example from the western Koryak fold and thrust belt (northeast Russia), 311
Kibaran belt, 203, 669
Kirby, G. A., Barton, C. M., Evans, D. J., Bristow, C. R. & Freshney, E. C. Reactivation of relay ramps and structural evolution of the Mere Fault and Wardour Monocline, northern Wessex Basin, 383
Knoll, A. H., Semikhatov, M. A., Petrov, P. Yu., Bartley, J. K. & Pope, M. A Vendian–Cambrian boundary succession from the northwestern margin of the Siberian Platform: stratigraphy, palaeontology, chemostratigraphy and correlation, 473
Kolata, D. R., Bergström, S. M. & Huff, W. D. The Lower Silurian Osmundsberg K-bentonite. Part I: stratigraphic position, distribution, and palaeogeographic significance, 1
Kolata, D. R., Sun, H., Huff, W. D. & Bergström, S. M. The Lower Silurian Osmundsberg K-bentonite. Part II: mineralogy, geochemistry, chemostratigraphy and tectonomagmatic significance, 15

Laduron, D., Sintubin, M. & Brodkom, F. Cleavage–fold relationships in the Lower Cambrian Tubize Group, southeast Anglo-Brabant Fold Belt (Lembeek, Belgium), 217
Lagerstätte (R), 582
Lake District (R), 583
Laminated sediments (R), 290
Landform (R), 729, 822
Landing, E., Bowring, S. A., Westrop, S. R., Rushton, A. W. A., Fortey, R. A., Adrain, J. M. & Davidek, K. New uppermost Cambrian U–Pb date from Avalonian Wales and age of the Cambrian–Ordovician boundary, 303
Larderello, 193
Larsen Basin, 519
Late Glacial and Postglacial Environmental Changes. Quaternary, Carboniferous–Permian, and Proterozoic, (R), 731
Latest Ordovician–Silurian Articulate Brachiopods and Biostratigraphy of the Avalanche Lake Area, Southwestern District of Mackenzie, Canada (R), 732
Latin America (R), 148
Lead, 303, 331; (R) 145
Lepage, G., Buffetaut, E. & Lepage, J.-J. A new pterodactyloid pterosaur from the Kimmeridgian of the Cap de la Hève (Normandy, France), 719
Lepage, J.-J., Lepage, G. & Buffetaut, E. A new pterodactyloid pterosaur from the Kimmeridgian of the Cap de la Hève (Normandy, France), 719

Limestone (R), 823
Liotta, D. & Dallmeyer, R. D. Extension, uplift of rocks and cooling ages in thinned crustal provinces: the Larderello geothermal area (inner Northern Apennines, Italy), 193
Llandovery, 71
Low Cost, Retrofit FGD Systems (R), 821
Lower Cambrian Trilobites from North Greenland (R), 289
Loydell, D. K. Early Silurian sea-level changes, 447
Loydell, D. K., Kaljo, D. & Mannik, P. Integrated biostratigraphy of the lower Silurian of the Ohesaare core, Saaremaa, Estonia, 769
Lux, D., Manecki, M., Holm, D. K. & Czerny, J. Thermochronological evidence for late Proterozoic (Vendian) cooling in southwest Wedel Jarlsberg Land, Spitsbergen, 63

Macdonald, D. I. M., Riding, J. B., Cantrill, D. J. & Hathway, B. Table Nunatak: a key outcrop of Upper Cretaceous shallow-marine strata in the southern Larsen Basin, Antarctic Peninsula, 519
Maestro, A., Soriano, M. A., Casas, A. M. & Cortés, A. L. Lineaments and fracturing in the Neogene rocks of the Almazán Basin, northern Spain, 255
Magmas, Rocks and Planetary Development. A Survey of Magma/Igneous Rock Systems (R), 151
Magmatism, 331, 591; (R) 151
Malpas, J., Aitchison, J. C. & Flood, P. G. Lowermost Ordovician (basal Tremadoc) radiolarians from the Little Port Complex, western Newfoundland, 413
Manecki, M., Holm, D. K., Czerny, J. & Lux, D. Thermochronological evidence for late Proterozoic (Vendian) cooling in southwest Wedel Jarlsberg Land, Spitsbergen, 63
Mannik, P., Loydell, D. K. & Kaljo, D. Integrated biostratigraphy of the lower Silurian of the Ohesaare core, Saaremaa, Estonia, 769
Mantle (R), 825
Map (R), 444, 831
Mapeo, R. B. M., Modie, B. N., Wendorff, M., Kampunzu, A. B. & Akanyang, P. Geochemistry and tectonic significance of the Mesoproterozoic Kgwebe metavolcanic rocks in northwest Botswana: implications for the evolution of the Kibaran Namaqua–Natal Belt, 669
Martí, J., Cas, R. A. F. & Bryan, S. E. Stratigraphy of the Bandas del Sur Formation: an extracaldera record of Quaternary phonolitic explosive eruptions from the Las Cañadas edifice, Tenerife (Canary Islands), 605
Martin, M., Rauscher, R., Mazin, J.-M. & Cuny, G. A new neoselachian shark from the Upper Triassic of Grozon (Jura, France), 657
Mass Extinctions and their Aftermath (R), 725
Mass extintion (R), 582, 586, 725
Mazin, J.-M., Cuny, G., Martin, M. & Rauscher, R. A new neoselachian shark from the Upper Triassic of Grozon (Jura, France), 657
McAlpine, R. R. & Oliver, G. J. H. Occurrence of a sheeted dolerite dyke complex in the Ballantrae ophiolite, Scotland, 509
McCann, T. Lower Palaeozoic evolution of the northeast German Basin/Baltica borderland, 129
The McCloskey BIG Coal Book, 2nd ed. (R), 829
McCobb, L. M. E., Duncan, I. J., Jarzembowski, E. A., Stankiewicz, B. A., Wills, M. A. & Briggs, D. E. G. Taphonomy of the insects from the Insect Bed (Bembridge Marls), late Eocene, Isle of Wight, England, 553
McIlroy, D. & Cope, J. C. W. On the occurrence of foraminiferans in the lower Cambrian of the Llangynog Inlier, South Wales, 227
McIlroy, D., Rushton, A. W. A. & Conway Morris, S. Lower Cambrian halkieriids from Oxfordshire, UK, 501
Melt (R), 825
Memoir (R), 724, 823, 824, 838
Metallogenic Map of Britain and Ireland (R), 292
Metamorphic rocks, 669, 785
Metamorphism, 369
Metazoa, 501
Micropalaeontology in Petroleum Exploration (R), 587
Migiros, G., Faupl, P. & Pavlopoulos, A. On the provenance of flysch deposits in the External Hellenides of mainland Greece: results from heavy mineral studies, 421
Migration (R), 825
Mimura, K. & Sugitani, K. Redox change in sedimentary environments of Triassic bedded cherts, central Japan: possible reflection of sea-level change, 735
Mineral: deposits (R), 825, 830; provenance, 421; resources (R), 145, 147, 148, 150, 152, 153, 292
Mineralogy, 15; (R) 152, 153, 443, 723, 730, 834, 837
Mineralogy for Students, 3rd ed. (R), 837
Mingram, B. The Erzgebirge, Germany, a subducted part of northern Gondwana: geochemical evidence for repetition of early Palaeozoic metasedimentary sequences in metamorphic thrust units, 785
Miocene, 565
Moczydłowska, M., Felitsyn, S. B. & Vidal, G. Trace elements and Sr and C isotopic signatures in late Neoproterozoic and earliest Cambrian sedimentary organic matter from siliciclastic successions in the East European Platform, 537
Modern Analytical Geochemistry. An Introduction to Quantitative Chemical Analysis for Earth, Environmental and Materials Scientists (R), 726
Modie, B. N., Wendorff, M., Kampunzu, A. B., Akanyang, P. & Mapeo, R. B. M. Geochemistry and tectonic significance of the Mesoproterozoic Kgwebe metavolcanic rocks in northwest Botswana: implications for the evolution of the Kibaran Namaqua–Natal Belt, 669
Mohindra, R. & Thakur, V. C. Historic large earthquake-induced soft sediment deformation features in the Sub-Himalayan Doon valley, 269
Moiré Topography, 93
Monitoring and Mitigation of Volcano Hazards (R), 299
Morante, R., Newton, R. & Wignall, P. B. The Permo-Triassic transition in Spitsbergen: $\delta^{13}C_{org}$ chemostratigraphy, Fe and S geochemistry, facies, fauna and trace fossils, 47
Morphometric Tools for Landmark Data. Morphometry and Biology (R), 292
Mount Pinatubo (R), 298
Murchison in Moray: A Geologist on Home Ground (R), 152

Natural resources (R), 841
The Nature and Origin of Granite, 2nd ed. (R), 291
The Nature of Diamonds (R), 730
Nd, 331, 495

Neodymium, 331, 495
Neogene, 255; (R) 836
Neoproterozoic, 171
Neoselachii, 657
Newfoundland, 413
Newton, R., Wignall, P. B. & Morante, R. The Permo-Triassic transition in Spitsbergen: $\delta^{13}C_{org}$ chemostratigraphy, Fe and S geochemistry, facies, fauna and trace fossils, 47
No Stone Unturned. Reasoning About Rocks and Fossils (R), 155
Normannognathus wellnhoferi, 719
North America (R), 822
North Sea (R), 584
Norway, 231

O, 183, 473
Oceanography (R), 297
Old Red Sandstone, 397, 755
Oligocene (R), 822
Oliver, G. J. H. & McAlpine, R. R. Occurrence of a sheeted dolerite dyke complex in the Ballantrae ophiolite, Scotland, 509
Ophiolite, 509
Ordovician, 303, 413; (R) 732, 826
Ore (R), 145, 830
The Origin and Evolution of Birds (R), 289
Orogeny, 349, 575; (R) 149
Orogeny Through Time (R), 149
Oxygen isotope, 183, 473

Pacific Ocean, 183
Pakistan (R), 831
Pakistan Satellite Image Maps (R), 831
Palaeobotany, 397
Palaeoceanography (R), 290
Palaeoclimatology (R), 290
Palaeoclimatology and Palaeoceanography from Laminated Sediments (R), 290
Palaeogene, 101; (R) 293, 836
Palaeontology (R), 147, 826, 827
Palaeosol (R), 294, 729
Palaeosurfaces: Recognition, Reconstruction and Palaeoenvironmental Interpretation (R), 729
Paleontological Events. Stratigraphic, Ecological, and Evolutionary Implications (R), 582
Paleoseismology (R), 144
Palynology, 397, 803
Patterns and Processes of Vertebrate Evolution (R), 585
Pavlopoulos, A., Migiros, G. & Faupl, P. On the provenance of flysch deposits in the External Hellenides of mainland Greece: results from heavy mineral studies, 421
Pb, 303, 331; (R) 145
Pe-Piper, G. The nature of Triassic extension-related magmatism in Greece: evidence from Nd and Pb isotope geochemistry, 331
Pedology (R), 294, 729
Pérez Torado, F. J., Carracedo, J. C., Day, S., Guillou, H., Rodríguez Badiola, E. & Canas, J. A. Hotspot volcanism close to a passive continental margin: the Canary Islands, 591
The Periglacial Environment, 2nd ed. (R), 156
Perils of a Restless Planet. Scientific Perspectives on Natural Disasters (R), 838
Permian (R), 731
Permo-Triassic boundary, 47
Petrography, 495
Petroleum exploration (R), 587
Petroleum geology (R), 147, 584, 587, 825, 830, 832
Petroleum Geology of Southeast Asia (R), 825
Petroleum Geology of the Irish Sea and Adjacent Areas (R), 830
Petroleum Geology of the Southern North Sea: Future Potential (R), 584
Petrology, 27; (R) 152
Petrov, P. Yu., Bartley, J. K., Pope, M., Knoll, A. H. & Semikhatov, M. A. A Vendian–Cambrian boundary succession from the northwestern margin of the Siberian Platform: stratigraphy, palaeontology, chemostratigraphy and correlation, 473
Philippines (R), 298
Planetary geology (R), 151
Plate Tectonics and Crustal Evolution, 4th ed. (R), 588
Pleistocene, 565
Pliocene, 803
Pollen, 803
Pope, M., Knoll, A. H., Semikhatov, M. A., Petrov, P. Yu. & Bartley, J. K. A Vendian–Cambrian boundary succession from the northwestern margin of the Siberian Platform: stratigraphy, palaeontology, chemostratigraphy and correlation, 473
Postcranial Anatomy and Habits of Asian Multituberculate Mammals (R), 149
Postglacial deposits (R), 731
Potassic Igneous Rocks and Associated Gold–Copper Mineralization (R), 150
Potassium, 495
Precambrian (R), 155
Precambrian–Cambrian boundary, 473
Price, G. D., Sellwood, B. W., Corfield, R. M., Clarke, L. & Cartlidge, J. E. Isotopic evidence for palaeotemperatures and depth stratification of Middle Cretaceous planktonic foraminifera from the Pacific Ocean, 183
Principles of Geochemistry (R), 725
The Proboscidea. Evolution and Palaeoecology of Elephants and Their Relatives (R), 821
Proterozoic, 669; (R) 731
Provenance study, 421, 755
Pterosaur, 719
Pulverized Coal Ash – Requirements for Utilisation (R), 288

Quaternary and Glacial Geology (R), 297
Quaternary Environments and Geoarchaeology of India. Essays in Honour of Professor S. N. Rajaguru (R), 157
Quaternary, 605; (R) 157, 297, 731

Radiolaria, 413, 735
Rauscher, R., Mazin, J.-M., Cuny, G. & Martin, M. A new neoselachian shark from the Upper Triassic of Grozon (Jura, France), 657
Rb, 349, 369, 495
Red Crag, 803
Regional Geochemistry of North-East England (R), 726
Regional Satellite Oceanography (R), 297
Remote sensing, 203, 255; (R) 148, 153, 154, 297, 829, 831
Remote Sensing. Principles and Interpretation, 3rd ed. (R), 148

Reptiles and Herbivory (R), 300
Residues from Advanced Coal-Use Technologies (R), 288
Resources, natural (R), 841
Restless Genius. Robert Hooke and his Earthly Thoughts (R), 443
Resurge morphology, 121
Rey, J. Extensional Jurassic tectonism of an eastern Subbetic section (southern Spain), 685
Riding, J. B., Cantrill, D. J., Hathway, B. & Macdonald, D. I. M. Table Nunatak: a key outcrop of Upper Cretaceous shallow-marine strata in the southern Larsen Basin, Antarctic Peninsula, 519
Rifted Ocean–Continent Boundaries (R), 155
Robins, B. The mode of emplacement of the Honningsvåg Intrusive Suite, Magerøya, northern Norway, 231
Rock Magnetism. Fundamentals and Frontiers (R), 287
Rock-Forming Minerals. Volume 2B. Double-Chain Silicates (R), 443
Rodríguez Badiola, E., Canas, J. A., Pérez Torado, F. J., Carracedo, J. C., Day, S. & Guillou, H. Hotspot volcanism close to a passive continental margin: the Canary Islands, 591
Rubidium, 349, 369, 495
Rushton, A. W. A., Conway Morris, S. & McIlroy, D. Lower Cambrian halkieriids from Oxfordshire, UK, 501
Rushton, A. W. A., Fortey, R. A., Adrain, J. M., Davidek, K., Landing, E., Bowring, S. A. & Westrop, S. R. New uppermost Cambrian U–Pb date from Avalonian Wales and age of the Cambrian–Ordovician boundary, 303
Russia, 311; (R), 148
Rwanda, 203

Samarium, 495
Sampling and Sample Preparation. Practical Guide for Analytical Chemists (R), 726
Santosh, M. & Satish-Kumar, M. A petrological and fluid inclusion study of calc-silicate–charnockite associations from southern Kerala, India: implications for CO_2 influx, 27
Satellite imagery, 255; (R) 297, 831
Satish-Kumar, M. & Santosh, M. A petrological and fluid inclusion study of calc-silicate–charnockite associations from southern Kerala, India: implications for CO_2 influx, 27
Scotland, 509, 575; (R) 148, 152, 824
Sea-level change, 447, 735
Sediment Records of Biomass Burning and Global Change (R), 293
Sediment-Hosted Zn–Pb Ores (R), 145
Sedimentary Deposition in Rift and Foreland Basins in France and Spain (Paleogene and Lower Neogene) (R), 836
Sedimentary organic matter, 537
Sedimentology, 519, 565; (R) 291, 293, 295, 728, 836, 839, 841
The Sedimentology of Chalk (R), 728
Seismic data (R), 832
Seismic reflection, 383; (R) 587
Seismicity, 269
Seismology (R), 144
Sellwood, B. W., Corfield, R. M., Clarke, L., Cartlidge, J. E. & Price, G. D. Isotopic evidence for palaeotemperatures and depth stratification of Middle Cretaceous planktonic foraminifera from the Pacific Ocean, 183
Semikhatov, M. A., Petrov, P. Yu., Bartley, J. K., Pope, M. & Knoll, A. H. A Vendian–Cambrian boundary succession from the northwestern margin of the Siberian Platform: stratigraphy, palaeontology, chemostratigraphy and correlation, 473
Sequence stratigraphy (R), 291
Serpentinites. Records of Tectonic and Petrological History (R), 152
The Shaping of the Isle of Wight, with an Excursion Guide (R), 836
Shark, 657
Sheeted dyke complex, 509
Shelf sedimentation (R), 295
Siberian Platform, 473
Siliciclastic rocks (R), 295
Silurian, 1, 15, 71, 397, 447, 769; (R) 732, 831
Sinton, C. W., Hitchen, K. & Duncan, R. A. ^{40}Ar–^{39}Ar geochronology of silicic and basic volcanic rocks on the margins of the North Atlantic, 161
Sintubin, M., Brodkom, F. & Laduron, D. Cleavage–fold relationships in the Lower Cambrian Tubize Group, southeast Anglo-Brabant Fold Belt (Lembeek, Belgium), 217
Sm, 495
Snowdon (R), 298, 838
Snowdonia Rocky Rambles. Geology Beneath Your Feet (R), 298
Soft sediment deformation, 269
Sokolov, S. D. & Khudoley, A. K. Structural evolution of the northeast Asian continental margin: an example from the western Koryak fold and thrust belt (northeast Russia), 311
Soper, N. J., Harris, A. L. & Fettes, D. J. Age of the Grampian event: a Discussion of "New evidence that the Lower Cambrian Leny Limestone at Callander, Perthshire, belongs to the Dalradian Supergroup, and a reassessment of the 'exotic' status of the Highland Border Complex": Comment, 575
Soria, J. M., Viseras, C. & Fernández, J. Late Miocene–Pleistocene tectono-sedimentary evolution and subsidence history of the central Betic Cordillera (Spain): a case study in the Guadix intramontane basin, 565
Soriano, M. A., Casas, A. M., Cortés, A. L. & Maestro, A. Lineaments and fracturing in the Neogene rocks of the Almazán Basin, northern Spain, 255
South-East Asian Oil, Gas, Coal and Mineral Deposits (R), 825
Southeast Asia (R), 729, 825
Southern Hemisphere (R), 146
Spain, 71, 255, 565, 685; (R) 836
Spitsbergen, 47, 63, 755
Spore, 397
Sr, 349, 369, 495, 537
Sri Lanka 1:100 000 Geology (Provisional Map Series) (R), 444
Stable isotope, 183, 473, 537
Stankiewicz, B. A., Wills, M. A., Briggs, D. E. G., McCobb, L. M. E., Duncan, I. J. & Jarzembowski, E. A. Taphonomy of the insects from the Insect Bed (Bembridge Marls), late Eocene, Isle of Wight, England, 553
Statistics (R), 728, 841

Štorch, P. & Gutiérrez-Marco, J. C. Graptolite biostratigraphy of the Lower Silurian (Llandovery) shelf deposits of the Western Iberian Cordillera, Spain, 71
Stratigraphy, 1, 15, 101, 473; (R) 291; bio-, 71, 769; (R) 732, 831; chemo-, 15, 47, 473; isotope, 473
Strontium, 349, 369, 495, 537
Structural geology, 217, 245, 255, 311, 349, 383, 565, 637, 699
Sturkell, E. F. F. Resurge morphology of the marine Lockne impact crater, Jämtland, central Sweden, 121
Subsidence, 565, 685
Sugitani, K. & Mimura, K. Redox change in sedimentary environments of Triassic bedded cherts, central Japan: possible reflection of sea-level change, 735
Sulphur (R), 296
Sun, H., Huff, W. D., Bergström, S. M. & Kolata, D. R. The Lower Silurian Osmundsberg K-bentonite. Part II: mineralogy, geochemistry, chemostratigraphy and tectonomagmatic significance, 15
Surface processes (R), 841
Svalbard, 47, 63, 755
Sweden, 1, 15, 121; (R) 145
Switzerland (R), 587

Tanner, P. W. G. Age of the Grampian event: a Discussion of "New evidence that the Lower Cambrian Leny Limestone at Callander, Perthshire, belongs to the Dalradian Supergroup, and a reassessment of the 'exotic' status of the Highland Border Complex": Reply, 575
Taphonomy, 553
Tebenkov, A. M., Hellman, F. J., Gee, D. G. & Gjelsvik, T. Provenance and tectonic implications of Palaeoproterozoic (*c.* 1740 Ma) quartz porphyry clasts in the basal Old Red Sandstone (Lilljeborgfjellet Conglomerate Formation) of northwestern Svalbard's Caledonides, 755
Tectonic Evolution of Southeast Asia (R), 729
Tectonic Uplift and Climate Change (R), 819
Tectonics, 101, 129, 311, 565, 685; (R) 143, 155, 729, 819, 831, 832, 836, 842; extensional, 685; plate (R), 588
Tectonics (R), 143
The Terrestrial Eocene–Oligocene Transition in North America (R), 822
Tertiary, 161, 255
Thakur, V. C. & Mohindra, R. Historic large earthquake-induced soft sediment deformation features in the Sub-Himalayan Doon valley, 269
Theunissen, K. & Fernandez-Alonso, M. Airborne geophysics and geochemistry provide new insights in the intracontinental evolution of the Mesoproterozoic Kibaran belt (Central Africa), 203
Thinking About the Earth. A History of Ideas in Geology (R), 727
Thomas, R. G., Edwards, D., Kenrick, P. & Wellman, C. H. The Cosheston Group (Lower Old Red Sandstone) in southwest Wales: age, correlation and palaeobotanical significance, 397
Thomas, R. J., Henjes-Kunst, F. & Jacobs, J. Pre-lamprophyre mafic dykes of the Cape Meredith Complex, West Falkland, 495
Tinos, 369
Topography, 93
Trace Fossils from the Lower Cambrian Mickwitzia Sandstone, South-Central Sweden (R), 145
Trace fossils, 47; (R) 145
Transpression, 699
Tremadoc, 413
Triassic, 331, 657, 735
Trilobite (R), 289
Turkey, 245; (R) 832
Turonian (R), 724

UK, 161, 227, 303, 383, 397, 501, 509, 553, 575, 803; (R) 292, 298, 724, 823, 824, 826, 838
Understanding Coal Gasification (R), 828
Understanding Earth, 2nd ed. (R), 834
Undiscovered Petroleum and Mineral Resources. Assessment and Controversy (R), 147
Uranium, 303

Variscan Belt, 785
Vendian, 63, 473, 537
Vendian–Cambrian boundary, 473
Vertebrate, 657, 719; (R) 144, 149, 150, 158, 289, 292, 295, 300, 581, 585, 822, 838
Vertebrate Fossils and the Evolution of Scientific Concepts. A Tribute to L. Beverly Halstead (R), 150
Vertebrate Palaeontology, 2nd ed. (R), 581
Vidal, G., Moczydłowska, M. & Felitsyn, S. B. Trace elements and Sr and C isotopic signatures in late Neoproterozoic and earliest Cambrian sedimentary organic matter from siliciclastic successions in the East European Platform, 537
Viseras, C., Fernández, J. & Soria, J. M. Late Miocene–Pleistocene tectono-sedimentary evolution and subsidence history of the central Betic Cordillera (Spain): a case study in the Guadix intramontane basin, 565
Volcanic Plumes (R), 146
Volcanic rocks, 161, 171, 591, 605, 669
Volcano, 591, 605; (R) 146, 298, 299, 820
Volcanoes, Academic Version, 3rd ed. (R), 820

Wales, 227, 303, 397; (R) 298, 724, 838
Walton Crag, 803
Wang, Z., Ji, S. & Zhu, Z. Relationship between joint spacing and bed thickness in sedimentary rocks: effects of interbed slip, 637
Wedel Jarlsberg Land, 63
Wellman, C. H., Thomas, R. G., Edwards, D. & Kenrick, P. The Cosheston Group (Lower Old Red Sandstone) in southwest Wales: age, correlation and palaeobotanical significance, 397
Wendorff, M., Kampunzu, A. B., Akanyang, P., Mapeo, R. B. M. & Modie, B. N. Geochemistry and tectonic significance of the Mesoproterozoic Kgwebe metavolcanic rocks in northwest Botswana: implications for the evolution of the Kibaran Namaqua–Natal Belt, 669
Wessex Basin, 383
Westrop, S. R., Rushton, A. W. A., Fortey, R. A., Adrain, J. M., Davidek, K., Landing, E. & Bowring, S. A. New uppermost Cambrian U–Pb date from Avalonian Wales and age of the Cambrian–Ordovician boundary, 303
Wignall, P. B., Morante, R. & Newton, R. The Permo-Triassic transition in Spitsbergen: $\delta^{13}C_{org}$ chemostratigraphy, Fe and S geochemistry, facies, fauna and trace fossils, 47
Wildfire (R), 293
Wills, M. A., Briggs, D. E. G., McCobb, L. M. E., Duncan, I. J., Jarzembowski, E. A. & Stankiewicz, B. A. Taphonomy of the insects from the Insect Bed

(Bembridge Marls), late Eocene, Isle of Wight, England, 553
Worcester (R), 823

X-Ray Diffraction and the Identification and Analysis of Clay Minerals, 2nd ed. (R), 834
X-ray: analysis (R), 833, 834; crystallography (R), 157

Zagorchev, I. S. Pre-Priabonian Palaeogene formations in southwestern Bulgaria and northern Greece: stratigraphy and tectonic implications, 101
Zhu, Z., Wang, Z. & Ji, S. Relationship between joint spacing and bed thickness in sedimentary rocks: effects of interbed slip, 637
Zinc (R), 145